according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

# ROTH

#### Charcoal activated ~3 mm, steam activated

article number: **0998**Version: **1.0 en**date of compilation: 2015-11-19

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Charcoal activated

Article number 0998

Registration number (REACH) 01-2119488894-16-xxxx

EC number 231-153-3 CAS number 7440-44-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:** +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

Signal word not required

#### 2.3 Other hazards

There is no additional information.

United Kingdom (en) Page 1 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Charcoal activated

Registration number (REACH) 01-2119488894-16-xxxx

EC number 231-153-3 CAS number 7440-44-0

Molecular formula (

Molar mass 12,01 g/<sub>mol</sub>

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 2 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Danger of dust explosion.

#### **Hazardous combustion products**

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

#### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Control of dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 3 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

## **SECTION 7: Handling and storage**

#### Precautions for safe handling

Avoid dust formation.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice

#### Ventilation requirements

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

#### Specific end use(s) 7.3

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

not relevant

Coun- try	Name of agent	CAS No	Nota- tion	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
GB	dust		i	WEL	10		EH40/2005
GB	dust		r	WEL	4		EH40/2005
GB	graphite	7440-44-0	i	WEL	10		EH40/2005
GB	graphite	7440-44-0	r	WEL	4		EH40/2005

#### **Notation**

Inhalable fraction Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period unless otherwise specified
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average TWA

#### Relevant DNELs/DMELs/PNECs and other threshold levels

#### human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1,84 mg/m³	human, inhalatory	worker (industry)	chronic - local effects

United Kingdom (en) Page 4 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

#### environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	10 mg/kg	soil	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)







#### **Eye/face protection**

Use safety goggle with side protection.

#### **Skin protection**

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### · type of material

NBR (Nitrile rubber)

#### material thickness

>0.11 mm.

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state solid
Colour black

Odour odourless

Odour threshold No data available

Other physical and chemical parameters

pH (value) This information is not available.

Melting point/freezing point >3.500 °C

Initial boiling point and boiling range This information is not available.

Flash point not applicable
Evaporation rate no data available

United Kingdom (en) Page 5 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

Flammability (solid, gas) Non-flammable

**Explosive limits** 

lower explosion limit (LEL) this information is not available
 upper explosion limit (UEL) this information is not available
 Explosion limits of dust clouds these information are not available

Vapour pressure This information is not available.

Density 2,31 <sup>g</sup>/<sub>cm³</sub> at 20 °C

Vapour density This information is not available.

Bulk density  $150 - 600 \, \text{kg/m}^3$ 

Relative density Information on this property is not available.

Solubility(ies)

Water solubility no data available

Partition coefficient

n-octanol/water (log KOW) 0,78 (Lit.)

Auto-ignition temperature Information on this property is not available.

Decomposition temperature no data available

Viscosity not relevant (solid matter)

Explosive properties none
Oxidising properties none

9.2 Other information

There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

the product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Danger of explosion: Oxidisers, Peroxides

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

United Kingdom (en) Page 6 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

#### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

data are not available

#### If in eyes

causes slight to moderate irritation

#### • If inhaled

Inhalation of dust may cause irritation of the respiratory system

#### • If on skin

data are not available

#### Other information

None.

United Kingdom (en) Page 7 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

### 12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 0,78

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Non-hazardous to water.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

**14.1** UN number (not subject to transport regulations)

14.2 UN proper shipping name not relevant14.3 Transport hazard class(es) not relevant

Class -

**14.4** Packing group not relevant

**14.5** Environmental hazards none (non-environmentally hazardous acc. to the danger-

ous goods regulations)

#### 14.6 Special precautions for user

There is no additional information.

United Kingdom (en) Page 8 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

- 14.8 Information for each of the UN Model Regulations
  - Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
  - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
  - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)

not listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

#### **National inventories**

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 9 / 11

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Page 10 / 11

#### Charcoal activated ~3 mm, steam activated

article number: 0998

## **SECTION 16: Other information**

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations		
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)		
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures		
CMR	Carcinogenic, Mutagenic or toxic for Reproduction		
DMEL	Derived Minimal Effect Level		
DNEL	Derived No-Effect Level		
EH40/2005	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)		
EINECS	European Inventory of Existing Commercial Chemical Substances		
ELINCS	European List of Notified Chemical Substances		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations		
IMDG	International Maritime Dangerous Goods Code		
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)		
NLP	No-Longer Polymer		
PBT	Persistent, Bioaccumulative and Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals		
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)		
STEL	short-term exposure limit		
TWA	time-weighted average		
vPvB	very Persistent and very Bioaccumulative		
WEL	workplace exposure limit		

#### Key literature references and sources for data

Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

United Kingdom (en)

List of relevant phrases (code and full text as stated in chapter 2 and 3) not relevant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Charcoal activated ~3 mm, steam activated

article number: 0998

#### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 11 / 11