

LB-2100-10-C-SF Standard Gain Horn Antenna 0.35-0.53GHz 10dB Gain SMA Female

Standard Gain Horn Antenna Operating From 0.35GHz to 0.53GHz With a Nominal 10dB Gain With SMA Female Connector



Product Information

SKU	LB-2100-10-C-SF
-----	-----------------

Description

Standard Gain Horn Antenna LB-2100-10-C-SF, operating from 0.35 to 0.53GHz with a nominal 10dB gain and low VSWR 1.25:1 with SMA Female connector output. The model LB-2100-10-C-SF has uniform gain through its frequency span, providing efficient performance characteristics and directionality. It can handle 50W continuously and 3000W peak power. Constructed of lightweight corrosion-resistant aluminum, the antenna will provide years of trouble-free indoor and outdoor service. This standard gain horn antenna is linearly polarized and ideally suited for EMI testing, direction finding, surveillance, antenna gain and pattern measurements and other applications.

Technical Specification


Electrical Specification		Interface	
Frequency, Min (GHz)	0.35	Output Type	Coaxial
Frequency, Max (GHz)	0.53	Connector	SMA
Waveguide Type	Rectangular	Connector Gender	Female
Waveguide Size EIA WR	WR2100	Mechanical Specification	
Gain, Typ (dBi)	10	Figure	C Type
Polarization	Linear	Body Material	Al
3dB Beamwidth, E-Plane, Typ (Deg.)	46	Finish	Chemical Conversion Coating, Gray Paint
3dB Beamwidth, H-Plane, Typ (Deg.)	50	Size, W (mm)	975
Cross Pol. Isolation, Typ (dB)	30	Size, H (mm)	704
VSWR, Typ	1.25:1	Size, L (mm)	1434
Impedance, (Ohm)	50	Weight, (kg)	42
Power Handling, CW, (W)	50		
Power Handling, Peak, (W)	3000		

Additional Information

Application	General Purpose Indoor & Outdoor, Fixed	Solution for	Gain Reference Antenna Measurement Reflector Feed Far-field Measurement System Intergration Material Measurement
-------------	---	--------------	---


Outline Drawing

SMA Female Output (P/N: LB-2100-10-C-SF)




Typical Test Results

Gain




Antenna Factor






Antenna Factor (Table)

Frequency(GHz)	Gain(dBi)	Antenna Factor(dB/m)	Frequency(GHz)	Gain(dBi)	Antenna Factor(dB/m)
0.350	9.79	11.30	0.445	11.81	11.37
0.355	9.89	11.32	0.450	11.93	11.34
0.360	9.99	11.35	0.455	12.06	11.31
0.365	10.09	11.37	0.460	12.18	11.28
0.370	10.19	11.38	0.465	12.31	11.25
0.375	10.29	11.40	0.470	12.44	11.21
0.380	10.40	11.41	0.475	12.57	11.17
0.385	10.50	11.42	0.480	12.69	11.14
0.390	10.61	11.42	0.485	12.81	11.11
0.395	10.71	11.43	0.490	12.93	11.09
0.400	10.82	11.44	0.495	13.03	11.07
0.405	10.92	11.44	0.500	13.13	11.06
0.410	11.03	11.44	0.505	13.21	11.06
0.415	11.14	11.44	0.510	13.29	11.08
0.420	11.25	11.43	0.515	13.35	11.09
0.425	11.36	11.42	0.520	13.42	11.11
0.430	11.47	11.41	0.525	13.49	11.12
0.435	11.59	11.39	0.530	13.57	11.13
0.44	11.71	11.37			

VSWR



Pattern



Related Products



SM-SM-A050-1000 Flexible Cable Assembly 1000mm DC- 26.5GHz SMA Male to SMA Male



SM-SM-A050-1500 Flexible Cable Assembly 1500mm DC- 26.5GHz SMA Male to SMA Male



SM-SM-A050-2000 Flexible Cable Assembly 2000mm DC- 26.5GHz SMA Male to SMA Male



SM-SM-A050-3000 Flexible Cable Assembly 3000mm DC- 26.5GHz SMA Male to SMA Male



SM-SM-A050-5000 Flexible Cable
Assembly 5000mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A050-10000 Flexible
Cable Assembly 10000mm DC-
26.5GHz SMA Male to SMA Male



SM-SM-A080-200 Flexible Cable
Assembly 200mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A080-300 Flexible Cable
Assembly 300mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A080-500 Flexible Cable
Assembly 500mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A080-1000 Flexible Cable
Assembly 1000mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A080-1500 Flexible Cable
Assembly 1500mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A080-2000 Flexible Cable
Assembly 2000mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A080-3000 Flexible Cable
Assembly 3000mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A080-5000 Flexible Cable
Assembly 5000mm DC- 26.5GHz
SMA Male to SMA Male



SM-SM-A080-10000 Flexible
Cable Assembly 10000mm DC-
26.5GHz SMA Male to SMA Male



SM-SM-A080-20000 Flexible
Cable Assembly 20000mm DC-
26.5GHz SMA Male to SMA Male



SM-SM-A100-100 Flexible Cable
Assembly 100mm DC- 18GHz
SMA Male to SMA Male



SM-SM-A100-200 Flexible Cable
Assembly 200mm DC- 18GHz
SMA Male to SMA Male



SM-SM-A100-300 Flexible Cable
Assembly 300mm DC- 18GHz
SMA Male to SMA Male



SM-SM-A100-500 Flexible Cable
Assembly 500mm DC- 18GHz
SMA Male to SMA Male



SM-SM-A100-1000 Flexible Cable Assembly 1000mm DC- 18GHz SMA Male to SMA Male



SM-SM-A100-1500 Flexible Cable Assembly 1500mm DC- 18GHz SMA Male to SMA Male



SM-SM-A100-2000 Flexible Cable Assembly 2000mm DC- 18GHz SMA Male to SMA Male



SM-SM-A100-3000 Flexible Cable Assembly 3000mm DC- 18GHz SMA Male to SMA Male




SM-SM-A100-5000 Flexible Cable Assembly 5000mm DC- 18GHz SMA Male to SMA Male



SM-SM-A100-10000 Flexible Cable Assembly 10000mm DC- 18GHz SMA Male to SMA Male

Similar Products




LB-2100-10-A Standard Gain Horn Antenna 0.35-0.53GHz 10dB Gain Rectangular Waveguide Interface



LB-2100-10-ASPO Standard Gain Horn Antenna 0.35-0.53GHz 10dB Gain Rectangular Waveguide Interface



LB-2100-10-C-NF Standard Gain Horn Antenna 0.35-0.53GHz 10dB Gain N Type Female




LB-2100-10-C-NFSPO Standard Gain Horn Antenna 0.35-0.53GHz 10dB Gain N Type Female



LB-2100-10-C-SFSPPO Standard Gain Horn Antenna 0.35-0.53GHz 10dB Gain SMA Female



LB-2100-10-C-7/16F Standard Gain Horn Antenna 0.35-0.53GHz 10dB Gain 7/16(DIN) Female



LB-2100-10-C-7/16FSPO Standard Gain Horn Antenna 0.35-0.53GHz 10dB Gain 7/16(DIN) Female

About this Datasheet

● Product Information Product Link: https://www.ainfoinc.com/lb-2100-10-c-sf-standard-gain-horn-antenna-0-35-0-53-ghz-10db-gain-sma-female Data subject to change without notice. © A-INFO INC. 2023. All Rights Reserved	● Contact Us Address:dd 60 Tesla, Irvine, CA 92618, USA Website: www.ainfoinc.com Email: sales@ainfoinc.com	● Phone & Fax Phone: +1-949-639-9688 +1-949-639-9608 Fax: +1-949-639-9670
---	--	---