

For reference only. See data sheet for the detailed specifications.


Technical Specification



Frequency Range(GHz)	A Type, WG output:	40.0 – 60.0
	C Type, 1.85mm-F:	40.0 – 60.0
	C Type, 2.4mm-F:	40.0 – 50.0
Waveguide	WR19	
Gain(dBi)	25 Typ.	
Polarization	Dual Linear	
3dB Beamwidth(deg)	E Plane:	7 Typ.
	H Plane:	8 Typ.
Cross Pol. Isolation(dB)	35 Typ.	
Port to Port Isolation(dB)	45 Typ. ; 35 Min.	
VSWR	A Type:	1.5:1 Max.
	C Type:	2.0:1 Max.
Output	A Type:	FUGP500(UG-383/U-M)
	C Type:	1.85mm-Female or 2.4mm-Female
Material	Al	
Finish	Gold Plated	
Size(mm)	A Type:	58.4 x 58.4 x 203.2
	C Type:	65.5 x 58.4 x 229.2
Net Weight(Kg)	A Type:	0.52 Around
	C Type:	0.60 Around

Outline Drawing (Size: mm)

FUGP500 Output (P/N: LB-CN-19-25-T02-A)



AINFO Inc.

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608


Page 1 of 13

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

1.85mm-Female Output (P/N: LB-CNH-19-25-T02-C-1.85F)

For 2.4mm-Female output outline drawing, please contact A-INFO.



Flange Drawing (Size: mm)



FUGP500
(equivalent to UG-383/U-M)

AINFO Inc.

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,



Page 2 of 13

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results


1. Gain & Antenna Factor



2. Cross Polarization Isolation




3. Port to Port Isolation




4. VSWR_A Type

Port-H




Port-V




VSWR_C Type


Port-H



Port-V



5. Pattern



AINFO Inc.

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Page 7 of 13

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

