






Technical Specification



EIA WR	WR112
Frequency Range(GHz)	7.05 – 10.0
VSWR	1.10:1 Max.
Average Power(W CW)	2000
Peak Power(KW)	460
Flange	FBE84(CBR84)
Material	Al
Size(mm)	350 x 130 x 130
Net Weight(Kg)	4.70 Around

Outline Drawing (Size: mm)



AINFO Inc.

Page 1 of 3

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,


(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Technical drawing of a mechanical part, likely a bracket or support, showing dimensions in millimeters. The drawing includes a top view and a side view. Key dimensions include:

- Overall width: 42.5
- Overall height: 15.9
- Mounting hole diameter: $\phi 42$
- Internal opening dimensions: 31.75 x 15.88
- Gap between internal features: 0.38
- Mounting hole offset from center: 32.26
- Mounting hole diameter: 2.85
- Mounting hole depth: 1.8
- Mounting hole radius: R1.5
- Mounting hole thickness: 3
- Mounting hole width: 5



Data subject to change without notice. For current data sheets, please contact: Sales@ainfoinc.com

Test Results

VSWR

