






## Technical Specification



|                      |                  |
|----------------------|------------------|
| EIA WR               | WR229            |
| Frequency Range(GHz) | 3.3 – 4.9        |
| Insertion Loss(dB)   | 0.25 Max.        |
| VSWR                 | 1.25:1 Max.      |
| Flange               | PDF40(UDR40)     |
| Connector            | N-Female         |
| Average Power(W CW)  | 150 Max.         |
| Peak Power(KW)       | 3                |
| Material             | Al               |
| Size(mm)             | 97 x 98.4 x 69.9 |
| Net Weight(Kg)       | 0.31 Around      |

## Outline Drawing (Size: mm)



AINFO Inc.

Page 1 of 3

China(Beijing):  
China(Chengdu):  
USA :


Tel: (+86) 10-6266-7326,  
Tel: (+86) 28-8519-2786,  
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327  
(+86) 28-8519-3044  
(+1) 949-639-9608

Fax: (+86) 10-6266-7379  
Fax: (+86) 28-8519-3068  
Fax: (+1) 949-639-9670

Website: [www.ainfoinc.com](http://www.ainfoinc.com)  
Email: [sales@ainfoinc.com](mailto:sales@ainfoinc.com)

## Flange Drawing (Size: mm)



FDP40

AINFO Inc.

Page 2 of 3


China(Beijing): Tel: (+86) 10-6266-7326,  
China(Chengdu): Tel: (+86) 28-8519-2786,  
USA : Tel: (+1) 949-639-9688,

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379  
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068  
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: [www.ainfoinc.com](http://www.ainfoinc.com)  
Email: [sales@ainfoinc.com](mailto:sales@ainfoinc.com)

## Test results

I. L. (Test with two adapters back to back)



## VSWR

