


For reference only. See data sheet for the detailed specifications.

Technical Specification

EIA WR	WR22
Frequency Range(GHz)	33.0 – 50.0
Length(mm)	400
Insertion Loss(dB)	0.7 Max.
VSWR	1.10:1 Max.
Flange	FUGP400(UG-383/U)
Material	Cu
Finish	Gold Plated, Gray Paint
Size(mm)	400 x 28.6 x 28.6
Net Weight(Kg)	0.12 Around

Outline Drawing (Size: mm)



AINFO Inc.


China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,

Page 1 of 3

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com


Flange Drawing (Size: mm)




FUGP400
(equivalent to UG-383/U)

Test Results

I.L.



VSWR



AINFO Inc.

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Page 3 of 3

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com