



For reference only. See data sheet for the detailed specifications.


## Technical Specification



<i>P/N:DS-30200</i>	
Frequency Range(GHz)	0.3 - 2.0
Gain(dBi)	6 Typ.
Polarization	Linear
3dB Beamwidth(deg)	E Plane: 79 - 39
	H Plane: 145 - 108
VSWR	1.5:1 Typ. / 2.0:1 Max.
Output	N-Female
Average Power(W CW)	300 (200 @ 2.0GHz)
Peak Power(KW)	3
Material	Al
Size(mm)	550 x 51 x 495
Net Weight(Kg)	0.75 Around



<i>P/N:DS-30200C</i>	
Frequency Range(GHz)	0.3 - 2.0
Gain(dBi)	6 Typ.
Polarization	Linear
3dB Beamwidth(deg)	E Plane: 79 - 39
	H Plane: 145 - 108
VSWR	1.5:1 Typ. / 2.0:1 Max.
Output	N-Female
Average Power(W CW)	300 (200 @ 2.0GHz)
Peak Power(KW)	3
Material	Al
Size(mm)	550 x 100 x 487
Net Weight(Kg)	0.74 Around



<i>P/N:DS-30300E</i>	
Frequency Range(GHz)	0.3 - 2.0
Gain(dBi)	6 Typ.
Polarization	Linear
3dB Beamwidth(deg)	E Plane: 79 - 30
	H Plane: 145 - 97
VSWR	1.5:1 Typ. / 2.0:1 Max.
Output	N-Female
Average Power(W CW)	300 (150 @ 3.0GHz)
Peak Power(KW)	3
Material	Al
Size(mm)	550 x 52 x 729.2
Net Weight(Kg)	1.30 Around

### AINFO Inc.


China(Beijing): Tel: (+86) 10-6266-7326,  
 China(Chengdu): Tel: (+86) 28-8519-2786,  
 USA : Tel: (+1) 949-639-9688,

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379  
 (+86) 28-8519-3044 Fax: (+86) 28-8519-3068  
 (+1) 949-639-9608 Fax: (+1) 949-639-9670


Website: [www.ainfoinc.com](http://www.ainfoinc.com)  
 Email: [sales@ainfoinc.com](mailto:sales@ainfoinc.com)

## Outline Drawing (Size: mm)

DS-30200 (P/N: DS-30200)



## DS-30200 with Mounting Bracket (Option, P/N: DS-30300-MB)



**AINFO Inc.**





China(Beijing): Tel: (+86) 10-6266-7326,  
China(Chengdu): Tel: (+86) 28-8519-2786,  
USA : Tel: (+1) 949-639-9688,

Page 2 of 7





(+86) 10-6266-7327 Fax: (+86) 10-6266-7379  
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068  
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: [www.ainfoinc.com](http://www.ainfoinc.com)  
Email: [sales@ainfoinc.com](mailto:sales@ainfoinc.com)




DS-30200 with Mounting Bracket for Tripod Application (Option, P/N: DS-30300-MBA)



DS-30200C (P/N: DS-30200C)



DS-30200E (P/N: DS-30200E)



**AINFO Inc.**

China(Beijing): Tel: (+86) 10-6266-7326,  
China(Chengdu): Tel: (+86) 28-8519-2786,  
USA : Tel: (+1) 949-639-9688,


Page 4 of 7

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379  
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068  
(+1) 949-639-9608 Fax: (+1) 949-639-9670


Website: [www.ainfoinc.com](http://www.ainfoinc.com)  
Email: [sales@ainfoinc.com](mailto:sales@ainfoinc.com)

## Test Results


### 1. Gain



### 2. Antenna Factor



### 3. VSWR



### 4. Pattern

